## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

## **LISTING OF CLAIMS:**

1. (original): A phenyloxyaniline derivative represented by formula (1):

$$X^{1} \xrightarrow{\stackrel{\stackrel{\scriptstyle R}{\downarrow}}{\downarrow}} CH_{2} \xrightarrow{\stackrel{\scriptstyle OR^{2}}{\downarrow}} 0R^{3}$$

$$(1)$$

wherein  $X^1$  and  $X^2$  are same or different and each is a hydrogen atom or a halogen atom;  $R^1$  and  $R^2$  are same or different and each is a hydrogen atom, an alkyl group having 1 to 10 carbon(s) or a halogen-substituted alkyl group having 1 to 10 carbon(s); and  $R^3$  is a halogen-substituted alkyl group having 1 to 5 carbon(s), or a radioisotope thereof.

2. (currently amended): A phenyloxyaniline derivative represented by formula (2):

$$X^{1} \xrightarrow{R^{1}} OR^{2}$$

$$C = 0$$

$$OR^{3}$$

$$OR^{3}$$

$$OR^{2}$$

$$OR^{3}$$

$$OR^{2}$$

$$OR^{3}$$

wherein  $X^1$  is a hydrogen atom or a halogen atom;  $R^1$  and  $R^2$  are same or different and each is a hydrogen atom, an alkyl group having 1 to 10 carbon(s) or a halogen-substituted alkyl group having 1 to 10 carbon(s); and  $R^3$  is a halogen-substituted alkyl group having 1 to 5 carbon(s), or a radioisotope thereof.

- 3. (original): The phenyloxyaniline derivative or a radioisotope thereof according to claim 1 or 2, wherein the halogen atom is a fluorine atom, an iodine atom or a bromine atom.
- 4. (currently amended): A method of labeling a peripheral benzodiazepine receptor use of comprising contacting a specimen containing the peripheral benzodiazepine receptor with the phenyloxyaniline derivative or a radioisotope thereof described in any of claims 1 to 3 of claim 1 or 2 as a peripheral benzodiazepine receptor labeling ligand.
- 5. (new): A method of labeling a peripheral benzodiazepine receptor comprising contacting a specimen containing the peripheral benzodiazepine receptor with the phenyloxyaniline derivative or a radioisotope thereof of claim 3.

- 6. (new): A method of labeling a peripheral benzodiazepine receptor comprising administering to a subject an effective amount of the phenyloxyaniline derivative or a radioisotope thereof of claim 1 or 2.
- 7. (new): A method of labeling a peripheral benzodiazepine receptor comprising administering to a subject an effective amount of the phenyloxyaniline derivative or a radioisotope thereof of claim 3.